



# PRODUCT CATALOGUE

ENVIRONMENTAL, HEALTH AND SAFETY  
MONITORING INSTRUMENTS



+255 766 904 668

info@nardalsafety.co.tz

www.nardalsafety.co.tz

P.O. Box 105246, Auditax House, 1st Floor Cocacola Rd,  
Plot No. 47 Mikocheni, Dar Es Salaam, Tanzania

# OUR FOCUS IS ON YOU

**YOUR SAFETY.  
YOUR EMPLOYEES.  
YOUR PRODUCTIVITY.  
YOUR MEASUREMENTS.**



Nardal Safety carries a large selection of EHS equipment that is 100% suited to all our clients' needs.

The complete range includes monitoring instruments, specialized PPE, and equipment, as well as custom solutions, providing head-to-toe protection from quality products that are comfortable.

# CONTENTS

## 04 ABOUT US

Who we are | Mission | Vision | Values

## 06 GAS DETECTION

Single Gas | Multi-Gas | Fixed Gas | Accessories

## 07 ALCOHOL TESTERS

Passive | Active | Access Control System

## 08 NOISE MONITORING

Sound Level Meters | Noise Dosimeters

## 09 AIR SAMPLING

Sampling Pumps | Flow Meters | Sampling Consumables

## 10 DUST MONITORS

Personal Monitors | Handheld | Desktop

## 11 INDOOR ENVIRONMENTAL QUALITY

IAQ Meters | Air Velocity Meters | Heat Stress Monitors | Light Meters

## 12 RESPIRATOR FIT TESTERS

PortaCount | Fit Test Adapters

## 13 ENVIRONMENTAL MONITORING

Ambient Air Monitoring | Weather Stations | Water Quality Monitoring

## 14 VIBRATION MONITORING

Vibration Monitors | Sound Level Meters | Air Overpressure | Software

## 15 OUR SERVICES

EHS Consulting | Maintenance | Calibration | Technical Training | Calitrak



NARDAL SAFETY offers a one-stop solution for equipment and instruments from trusted, recognized brands. We provide our customers with industry expertise and extensive knowledge of the products we sell.

As part of the PROSAFE Group family, NARDAL SAFETY benefits from more than 30 years of experience in supplying and distributing HSE equipment. Since its founding in 1995, the Group has grown to become one of the largest providers of safety equipment in the region.

Through our international network of suppliers and industry collaborators, we stay up-to-date with the latest approaches to risk assessments, highest international standards, and effective workplace strategies for managing identified risks.

In keeping with our promise to make workplaces safer, we continually enhance our team's professionalism to the highest standard at NARDAL SAFETY.



Our **VISION** is to be the leading provider of premium occupational hygiene, health, safety and environmental equipment, instruments, and consulting services in Tanzania.

Our **MISSION** is going above and beyond by assisting our clients in protecting their people, their neighbour community, and their environment.

Our **VALUES:**

- Customer Focused
- Reliability
- Integrity
- Passion

OUR **PARTNERS**



# GAS DETECTION

Single Gas | Multi-Gas | Fixed Gas | Accessories

## MULTI-GAS DETECTOR VENTIS 4

**INDUSTRIAL  
SCIENTIFIC**



### FEATURES AND BENEFITS

- Monitor up to 4 gases: LEL (CH<sub>4</sub>), LEL (C<sub>5</sub>H<sub>12</sub>), CO, H<sub>2</sub>S, O<sub>2</sub>, CO/H<sub>2</sub> low, SO<sub>2</sub>, NO<sub>2</sub>.
- Lightweight and easy to wear.
- Slide-on pump (optional).
- Multiple runtime options, alarm thresholds, and more.

## MULTI-GAS DETECTOR VENTIS PRO5

**INDUSTRIAL  
SCIENTIFIC**



### FEATURES AND BENEFITS

- Monitor up to 5 gases simultaneously (LEL (Methane), LEL (Pentane), Cl<sub>2</sub>, CO, CO<sub>2</sub>, H<sub>2</sub>S, HCN, NO<sub>2</sub>, NH<sub>3</sub>, O<sub>2</sub>, PH<sub>3</sub>, SO<sub>2</sub> and VOCs).
- Man-down alerts and panic alarms.
- Get instant text or email alerts with GPS locations and hazard details.
- Pump and O<sub>2</sub>, LEL, CO, and H<sub>2</sub>S sensors are warranted for 4 years.

## MULTI-GAS DETECTOR MAXXT II

**Honeywell**



### FEATURES AND BENEFITS

- Monitor 4 gases: O<sub>2</sub>, LEL, CO, H<sub>2</sub>S.
- One-button operation.
- Robust, motorized pump.
- Compatible with MicroDock II.
- Audible, visual and vibrating alarm.
- Battery run time: 8-13 hours.

## SINGLE GAS DETECTOR GASBADGE PRO

**INDUSTRIAL  
SCIENTIFIC**



### FEATURES AND BENEFITS

- More than 12 sensors are available, including HCN.
- Temperature range: -40 C to 60 C.
- Humidity range: 0-99% RH (non-condensing).
- Battery run time: User replaceable 3V, CR2 lithium battery, 2,600-hour run time.
- Guaranteed for life (excluding sensors, batteries, and filters).

## DSX DOCKING STATION

**INDUSTRIAL  
SCIENTIFIC**



### FEATURES AND BENEFITS

- Perfect to perform bump test with Industrial Scientific Ventis Series gas detectors.
- Easy to use.
- Bump test schedules can be tracked and performed automatically.
- Free, automated software and firmware updates.
- Auto detection of calibration gas type.
- Calibration gas status indicators.

## INTELLIDOX SMART DOCKING MODULE

**Honeywell**



### FEATURES AND BENEFITS

- Perfect to perform bump test with Honeywell BW Series gas detectors.
- Enables bump test tracking.
- Performs the quickest bump test in the industry.
- Easy setup with network or USB drive.
- Expandable to 5 docking modules.
- Easy data transfer.

## AREA MONITOR RADIUS BZ1

**INDUSTRIAL  
SCIENTIFIC**



### FEATURES AND BENEFITS

- Can detect up to 7 gases simultaneously, including IR and PID.
- Rugged, portable area monitor.
- Can be deployed for up to 50 days.
- Local and remote monitoring options.
- Alarms that sound at 108dB and customizable action messages.

## VOC MONITOR ULTRARAE 3000+

**Honeywell**



### FEATURES AND BENEFITS

- Versatile VOC or Benzene-Specific modes.
- Highly accurate VOC (0-10,000ppm), Benzene (0-200ppm), Butadiene (0-200ppm).
- Battery Run Time: 16 hours.
- Datalogging: 6 months at one-minute intervals.
- Warranty: 3 years for 10.6eV lamp.
- Operating temperature: -20 to 60 degree Celsius.

## FIXED GAS DETECTOR SERIES 3000 MKII

**Honeywell**



### FEATURES AND BENEFITS

- Sensors for flammable, toxic and oxygen.
- Reliable detection.
- Reduced installation and commissioning costs.
- Explosion proof and intrinsically safe versions.
- Compatible with control system.

# ALCOHOL TESTERS

Passive | Active | Access Control System

## ALCOSCAN



### FEATURES AND BENEFITS

- One button operation.
- Non-invasive breath testing; perfect for field use.
- Storage and data download functionality.
- Up to 1,000 events (optional).
- Analysis time less than 10 seconds.

## ALCOBLOW RT (RAPID TEST)



### FEATURES AND BENEFITS

- Simple to use, rapid response breathalyzer.
- No physical contact between the subject and instrument, so there is no mouthpiece to replace for each test.
- Ideal for screening larger numbers at entry points to safety critical sites.

## ALERT J5



### FEATURES AND BENEFITS

- Comply with NHTSA DOT standards.
- Convenient menu.
- Active and passive sampling.
- Evidential accuracy.
- Test result printing.
- Log more than 1,000 events.

## ALCOLMETER 700



### FEATURES AND BENEFITS

- Certified to EN 15964 and AS3547 standards.
- Easy to use.
- Simple multi-button interface.
- Printer kit and carry case.
- 2x AA cells give at least 1000 breath tests.
- 12 months calibration stability.
- Up to 3,000 test records.

## ALCONTROL UNMANNED ALCOHOL TESTER



### FEATURES AND BENEFITS

- Can be fitted to an entrance-controlled gate or door.
- 12V DC or 220v external power supply.
- Approximately 12 tests per minute.
- Optional siren and beacon light.
- Smart connectivity.
- Detachable front casing to facilitate calibration.



# NOISE MONITORING

Sound Level Meters | Noise Dosimeters

## SOUND LEVEL METER CEL-240 SERIES CASELLA



### FEATURES AND BENEFITS

- Rugged design.
- IEC 61672, ANSI S1.4 Class 2.
- 30 - 130dB RMS measurement range.
- A and C weighted sound levels.
- Fast, slow or impulsive time weighting.
- 2 key operation for intuitive ease of use.
- 2-year warranty.
- Calibration certificate.

## SOUND LEVEL METER CEL-620 SERIES CASELLA



### FEATURES AND BENEFITS

- Time history storage (1s to 30min intervals).
- Voice notes.
- Single large measurement range.
- Real-time octave band analysis.
- Simultaneous measurement of all workplace noise parameters.
- Automatic calibration function.
- Warranty: 2 years.

## SOUND LEVEL METER CEL-630 SERIES CASELLA



### FEATURES AND BENEFITS

- Ideal for environmental monitoring.
- Statistical values (Ln%).
- Audio voice notes and audio (WAV) recording.
- Marker, level and external events.
- Real-time octave and 1/3 octave measurements.
- Removable preamp.
- Environmental outdoor kit available.
- Warranty: 2 years.

## SOUND LEVEL METER CR310



### FEATURES AND BENEFITS

- Class 2 integrating sound level meter (meets IEC 61672-1:2013).
- Measure Sound Pressure Level (SPL) and Maximum Sound Level (LMax).
- Leq, and Leq8h.
- A and C frequency weightings.
- Basic workplace noise assessments.

## SOUND LEVEL METER OPTIMUS+



### FEATURES AND BENEFITS

- Ideal for industrial & environmental noise assessment.
- Periodic LAeq and Ln values, LMax and LMin.
- Measures all parameters simultaneously.
- Class 1 or Class 2 model.
- VoiceTag audio notes and recording.
- Tonal noise detection, 1:1 octaves or 1:3 octaves.
- Warranty: 1 year (can be extended to 15 years).

## NOISE DOSIMETER DBADGE2 CASELLA



### FEATURES AND BENEFITS

- IEC 61252, ANSI S1.25, ATEX, EEx.
- Programmable delay and fixed run timer.
- Bluetooth connectivity.
- LAeq, LCpeak and exposure value parameters.
- Time history.
- Motion sensor, Audio notes and recording.
- Octave analysis (31.5Hz to 8kHz).
- Warranty: 2 years.

## NOISE DOSIMETER DOSEBADGE5



### FEATURES AND BENEFITS

- IEC 61252, ANSI S1.25.
- 4 simultaneous independent integrator channels.
- Exchange Rate – 3, 4 or 5dB.
- Frequency Weighting – A, C or Z.
- RMS Range: 60dB(A) to 140dB(A).
- 1:1 Octave Bands (63Hz to 8kHz).
- Warranty: 1 year (can be extended to 15 years).

## NOISE DOSIMETER DOSEBADGE



### FEATURES AND BENEFITS

- IEC 61252, ANSI S1.25, ATEX, EEx, MSHA.
- Dural channel wireless personal dose meter.
- Robust metal case.
- Exchange Rate – 3, 4 or 5dB.
- Time Weighting: None, 'S' (Slow).
- Free NoiseTools software.
- Warranty: 1 year (can be extended to 15 years).

## ENVIRONMENTAL NOISE KIT CASELLA



### FEATURES AND BENEFITS

- Internal power for to 10 days.
- Protection from wind and light rain – not waterproof.
- Quality materials and robust construction.
- Self contained with rechargeable battery.
- For use with the CEL-630 Series of sound level meters.
- Time history data logged to the instrument.

# AIR SAMPLING

Sampling Pumps | Flow Meters | Sampling Consumables

## AIR SAMPLING PUMP APEX2 CASELLA



### FEATURES AND BENEFITS

- Flow range: 1000 – 5000ml/min.
- Low flow range ml/min: 5 - 500 (requires an adapter).
- Intrinsically Safe.
- Motion Sensor.
- Bluetooth.
- PC Download.
- Run time duration and fully programmable timers.
- Logging of flow and motion.

## AIR SAMPLING PUMP VAPEX CASELLA



### FEATURES AND BENEFITS

- Flow range: 20 – 500ml/min.
- Intrinsically Safe.
- Motion Sensor.
- Bluetooth.
- PC Download.
- Run time duration and fully programmable timers.
- Logging of flow and motion.

## AIR SAMPLING PUMP VORTEX3 CASELLA



### FEATURES AND BENEFITS

- High flow rate (5-12L/min).
- Impressive back pressure capability.
- Inlet pressure monitored to establish filter loading.
- Mains and battery-powered.
- Rugged IP65 design.

## DIGITAL FLOW METER FLOW DETECTIVE CASELLA



### FEATURES AND BENEFITS

- Flow range 500mL/min to 5L/min.
- High accuracy calibration.
- Pulsation detection.
- Simple operation.
- Rugged design.
- Bluetooth.
- Long battery life (70 hours).

## PRIMARY FLOW CALIBRATOR 4046/4146 TSI



### FEATURES AND BENEFITS

- Range of 0.01 to 300L/min.
- Small, portable, battery-operated.
- Accurate to +/- 2% of reading.
- Real-time volumetric flow rate readings.

## DORR-OLIVER CYCLONE ASSEMBLY CASELLA



### FEATURES AND BENEFITS

- Cut point: 4µm.
- Flow rate: 1.7LPM.
- Material: Nylon.
- Type: Dorr-Oliver.

## CALIBRATION JAR CASELLA



### FEATURES AND BENEFITS

- Compatible with SKC Aluminum Cyclones (Dorr-Oliver).
- Complete with all fittings and Tygon® tubing for connecting the sampling pump.

## IOM SAMPLER CASELLA



### FEATURES AND BENEFITS

- Inhalable dust sampling head with plastic cassette.

## AIR SAMPLING CASSETTES CASELLA



### FEATURES AND BENEFITS

- MCE Filters, 37mm, 0.8µm.
- MCE Filters, 25mm, 0.8µm.
- PVC Filters, 37mm, 5.0µm.
- PTFE Filters, 37mm.

# DUST MONITORS

Personal Monitors | Handheld | Desktop

## DUST MONITOR SIDEPAK AM520/520i



### FEATURES AND BENEFITS

- Ideal for assessing personal exposure.
- Simultaneously measure PM1, PM2.5, PM4, PM10, and 0.8 DPM.
- Audible and visual alarms.
- Real-time mass concentration measurement and data logging for "in-the-field" data analysis.
- IECEx and ATEX certified (AM520i).

## DUST MONITOR DUSTTRAK HANDHELD



### FEATURES AND BENEFITS

- Simultaneously measure PM1, PM2.5, PM10, and TSP.
- Lightweight and portable.
- Handheld unit.
- Concentration range 0.001 to 150mg/m3.

## DUST MONITOR DUSTTRAK DESKTOP



### FEATURES AND BENEFITS

- Measure PM1, PM2.5, PM10, and TSP.
- STEL alarm setpoint.
- Touchscreen interface.
- Concentration range 0.001 to 150mg/m3.
- Perform in-line gravimetric sampling.

## DUST MONITOR MICRODUST CEL-712 CASELLA



### FEATURES AND BENEFITS

- Measuring range: 0.001 – 25,000mg/m3.
- 12 hours of continuous measurement.
- Optical calibration reference cell and zero-air cleaning bellows.
- Displays a graph of time history data.
- Universal 12V power supply and battery charger.
- USB download cable.
- Casella Insight PC software.

## DUST DETECTIVE KIT CASELLA



### FEATURES AND BENEFITS

- Real-time graphical display of dust levels.
- Extensive range: 0.001mg/m3 to 250g/m3.
- Unique removable sampling probe.
- Rugged design for harsh environments.
- Sampling for total, respirable, PM2.5 or PM10 with optional adaptor.
- Environmental enclosure.



# INDOOR ENVIRONMENTAL QUALITY

Indoor Air Quality Meters | Air Velocity Meters | Heat Stress Monitors | Light Meters

## IAQ METER IAQ-CALC 7500 SERIES



### FEATURES AND BENEFITS

- Measures and data logs multiple parameters such as CO<sub>2</sub>, temperature, and humidity.
- It calculate dew point, wet bulb temperature and percent of outside air.

## AIR VELOCITY METER VELOCICALC 9500 SERIES



### FEATURES AND BENEFITS

- Simple to operate.
- Measurement range: 0-30m/s.
- Measure temperature and velocity.
- Calculates volumetric flow and standard velocity.

## AIR CAPTURE HOOD ACCUBALANCE 8380



### FEATURES AND BENEFITS

- Ergonomic design and ultra light weight.
- Automatically senses and displays supply or return flows.
- Back pressure compensation.
- Multiple hood sizes available.
- Detachable digital micromanometer.

## ROTATING VANE ANEMOMETER 5725



### FEATURES AND BENEFITS

- Reversible 4-inch (100mm) head.
- Calculates volumetric flow rate.
- Sampling function records multiple point measurements.
- Automatic averaging of air velocity.
- Simultaneously displays velocity and temperature.
- Logs 12,700+ samples with a time and date stamp.

## HEAT STRESS MONITOR QUESTEMP°



### FEATURES AND BENEFITS

- Dry bulb, wet bulb, and globe temperature.
- WBGT (indoor/outdoor index).
- Heat index (humidex).

## LUX METER TESTO 540



### FEATURES AND BENEFITS

- Measuring range: 0 to 99,999Lx.
- Ideal for spot checks of lighting conditions in workplaces.
- Includes hold function, min/max value display, and protective cap for storage.
- Sensor modeled on the human eye's spectral sensitivity.
- Small, lightweight, and easy to carry.



# RESPIRATOR FIT TESTERS

## PORTACOUNT 8040



### FEATURES AND BENEFITS

- Accepted for all full-facepiece and half-facepiece tight fitting elastomeric respirators.
- Real-time FitCheck® mode.

## PORTACOUNT 8048



### FEATURES AND BENEFITS

- Accepted for all full-facepiece and half-facepiece tight fitting elastomeric respirators.
- Built-in N95 Companion™ technology.
- Real-time FitCheck® mode.

## RESPIRATOR FIT TEST ADAPTERS



### FEATURES AND BENEFITS

- BLS
- Interspiro
- Honeywell
- 3M
- MSA
- Dräger, etc.



# ENVIRONMENTAL MONITORING

Ambient Air Monitoring | Weather Stations | Water Quality Monitoring

## GUARDIAN2 SITE BOUNDARY MONITOR CASELLA



### FEATURES AND BENEFITS

- Real-time particulate, noise and ground vibration (PPV).
- Simultaneous PM10, PM2.5 and PM1.0 monitoring.
- Optional VOC sensor measures to 6,000ppm.
- Optional, maintenance free windspeed & direction sensor.
- Email and text alerts.

## DUSTTRAK ENVIRONMENTAL MONITOR



### FEATURES AND BENEFITS

- MCERTS Certified.
- Simultaneously measure PM2.5, PM10.
- Heated inlet sample conditioner w/ water trap.
- Certification range 0 to 10,000ug/m3.
- Cloud data management system.

## LUFFT WS500 WEATHER SENSOR



### FEATURES AND BENEFITS

- Temperature: 50-60°C.
- Relative humidity: 0-100%RH.
- Air pressure: 300-1,200hPa.
- Wind direction: 0-359.9°.
- Wind speed: 0-75m/s.

## DUSTTRAK ENVIRONMENTAL ENCLOSURE



### FEATURES AND BENEFITS

- Mount enclosure to a standard survey tripod equipped with a 5/8"-11 threaded stud.
- Water trap that prevents precipitation from entering the instrument.
- Field portable.

## TIPPING BUCKET RAIN GAUGE CASELLA



### FEATURES AND BENEFITS

- Aluminium alloy body and funnel.
- Accurately machined septum ring gives the top of the TBRG an aperture of 400cm².
- Built-in spirit level to make positioning easy.
- Non-corrosive.
- Ingress of foreign bodies prevented by stainless steel mesh.

## WATER QUALITY PROBES



### FEATURES AND BENEFITS

- Temperature.
- pH.
- Conductivity.
- Dissolved oxygen.
- Turbidity.
- Photosynthetically active radiation (PAR).
- Dissolved Gas and Fluorometers.

## WATER LEVEL MEASUREMENT DEVICES



### FEATURES AND BENEFITS

- ATEX certified.
- Measures water and product level and thickness.
- Measures floating and sinking hydrocarbon, non-aqueous product layers.
- Measures conductivity and temperature.

# VIBRATION MONITORING

Vibration Monitors | Sound Level Meters | Air Overpressure | Software

## VIBRATION MONITOR MICROMATE



### FEATURES AND BENEFITS

- Fits in the palm of your hand.
- Internal battery lasting up to 15 days.
- Monitor remote locations.
- Synchronizes Class 1 noise monitoring or air overpressure and vibration data on the same monitoring unit.
- Can store over 1,000 events.
- Seven(7) sensor options.

## VIBRATION MONITOR MICROMATE PLUS



### FEATURES AND BENEFITS

- Build-in Wi-Fi, cellular modems. GPS, USB-C port.
- Flexible data retrieval with the Instantel cloud-based Vision II platform.
- Time-synchronized sensors.
- Advanced geophone functionality (can easily be mounted on horizontal or vertical surfaces).
- Only the geophones and microphones require calibration, not the unit.
- Fail-safe keypad.

## VIBRATION MONITOR MINIMATE PRO



### FEATURES AND BENEFITS

- Reduce noise & electrical interference.
- Rugged & reliable design.
- Flexible power solutions.
- Real-time OS.
- Ethernet cable to transfer events using Instantel's proprietary auto call home feature.
- Advanced monitoring features (e.g., accelerometers, HF geophones, hydrophones, HP microphones).

## THOR DESKTOP SOFTWARE



### FEATURES AND BENEFITS

- Access and control your Instantel monitoring units anytime and anywhere.
- Customizable event reports.
- Manage units remotely.
- Configurable notifications.

## VISION II CLOUD-BASED SOFTWARE



### FEATURES AND BENEFITS

- Your Data, 24/7/365 – from anywhere.
- Use Live Data™ for real-time monitoring.
- Add and manage as many companies, projects, users, and devices as needed.
- Build your own custom graphs.
- Visualize your entire project with an interactive map.
- Results easily identifiable without complex analysis and just one look.

## HAVEX HAND-ARM VIBRATION METER



### FEATURES AND BENEFITS

- Hand-arm vibration exposure measurements.
- Simple operation.
- Robust accelerometer & cable.
- Color display.
- Stores over 900 measurements.
- Supplied as a kit with everything you need to begin measuring.

## TRIAx HUMAN VIBRATION METER



### FEATURES AND BENEFITS

- Simple operation.
- Versatile sensor; Hand-arm kit, Whole-body kit.
- Fully compliant with BS8041 and the Control of Vibration at Work Regulations 2005.
- Comprehensive data presentation.
- Robust and portable.



# OUR SERVICES



EHS Consulting Services



Technical Training



Gas Detector Maintenance and Calibration



Breathalyzer Maintenance and Calibration



CALiTrak™  
EHS Equipment Maintenance System





## Tanzania

P.O. Box 105246  
Auditax House, 1st Floor  
Cocacola Rd, Plot No. 47, Mikocheni  
Dar Es Salaam, Tanzania

[info@nardalsafety.co.tz](mailto:info@nardalsafety.co.tz)

+255 766 904 668



## Mauritius

4, Bissoondoyal Street, Port Louis,  
Mauritius

[info@prosafe.mu](mailto:info@prosafe.mu)

+230 260 2400



## Mozambique

Avenida Das Industrias, no. 2455 Loja  
n° 4, Machava-Matola

[info@prosafe.co.mz](mailto:info@prosafe.co.mz)

+258 85 222 2026



## Madagascar

Module 2, Karim Abad II Antanandava  
- Betainomby, Toamasina, Madagascar

[prosafe@orange.mg](mailto:prosafe@orange.mg)

+261 32 05 012 00





# PRODUCT CATALOGUE

PERSONAL PROTECTIVE EQUIPMENT &  
SAFETY SOLUTIONS



 +255 766 904 668

 [info@nardalsafety.co.tz](mailto:info@nardalsafety.co.tz)

 [www.nardalsafety.co.tz](http://www.nardalsafety.co.tz)

 P.O. Box 105246, Auditax House, 1st Floor Cocacola Rd,  
Plot No. 47 Mikocheni, Dar Es Salaam, Tanzania

# OUR FOCUS IS ON YOU

**YOUR SAFETY.  
YOUR EMPLOYEES.  
YOUR PRODUCTIVITY.  
YOUR MEASUREMENTS.**



Nardal Safety carries a large selection of EHS equipment that is 100% suited to all our clients' needs.

The complete range includes monitoring instruments, specialized PPE, and equipment, as well as custom solutions, providing head-to-toe protection from quality products that are comfortable.



# CONTENTS

## 04 ABOUT US

Who we are | Mission | Vision | Values

## 05 HEAD PROTECTION

Safety Helmets

## 05 EYE & FACE PROTECTION

Safety Glasses | Safety Goggles | Face Shields

## 06 HEARING PROTECTION

Earplugs | Earmuffs

## 07 RESPIRATORY PROTECTION

Disposable Masks | Half Masks | Full Face Respirators

## 08 HAND PROTECTION

Mechanical | Cut Resistance | Chemical Protection

## 09 PROTECTIVE CLOTHING

Shirts | Pants | Coveralls | Chemical Protection

## 10 FALL PROTECTION

Full Body Harnesses | Lanyards | Blocks

## 12 LIFELINE SYSTEMS

Vertical | Horizontal | Temporary

## 13 CONFINED SPACE ENTRY

Davit Arms | Tripods

## 14 MISCELLANEOUS

Safety Footwear | LOTO | Industrial Lighting | AEDs

## 15 OUR SERVICES

EHS Consulting | Maintenance | Calibration | Technical Training | Calitrak



Our **VISION** is to be the leading provider of premium occupational hygiene, health, safety and environmental equipment, instruments, and consulting services in Tanzania.

Our **MISSION** is going above and beyond by assisting our clients in protecting their people, their neighbour community, and their environment.

Our **VALUES:**

- Customer Focused
- Reliability
- Integrity
- Passion

OUR **PARTNERS**





# HEAD PROTECTION

## Safety Helmets

### SAFETY HELMET SHELBLAST



#### FEATURES AND BENEFITS

- Norms: EN 397:2012+A1:2012.
- Ratchet type adjustment.
- Dual corrugation.
- Made up of polypropylene co-polymer.
- Optimum shock absorption.
- Extra impact protection to the user's neck.
- Ventilated slots which can be opened / closed.

### WORKING AT HEIGHT HELMET VERTEX



#### FEATURES AND BENEFITS

- Norms: EN 397, EN 12492, EN 50365.
- Six-point textile suspension.
- Designed for work at height and on the ground.
- Centerfit feature.
- Flip & Fit system.
- Dual chinstrap.

### PAB FIRE COMPACT HELMET



#### FEATURES AND BENEFITS

- Norms: EN 14458, EN 166, EN 443.
- Extreme temperature resistance (up to 1,000°C in a 10 second flash over flames).
- High resistance to mechanical impacts.
- Anti-scratch and anti-fog coated external visor.
- Anti-scratch and anti-fog coated internal goggles.
- Chemical resistance.

# EYE & FACE PROTECTION

## Safety Glasses | Safety Goggles | Face shields

### SAFETY GLASSES ES006



#### FEATURES AND BENEFITS

- Norms: EN 166:2001, ANSI Z 87.1-2015.
- Unique wrap-around design.
- Adjustable temple length.
- Equipped with specially designed soft nose-pad.

### SAFETY GLASSES DV-026



#### FEATURES AND BENEFITS

- Norms: EN 166:2001.
- Polycarbonate mono lens, black nylon frame & adjustable temples.
- Scratch resistant lens.
- Anti-fog lens (clear only).
- Anti-glare lens (amber, grey & green).

### MAXI VIEW GOGGLES DV-004MAX



#### FEATURES AND BENEFITS

- Norms: EN 166:2001, EN 170 2-1,2.
- 25mm Elasticated & adjustable headband.
- High quality PVC frame.
- Wide face contact area for comfort & seal.
- Efficient indirect ventilation system.
- Suitable with prescription spectacles.
- Anti-fog lens & scratch resistant lens.



# EYE & FACE PROTECTION

Safety Glasses | Safety Goggles | Face shields

## SPORTY SPECTACLES CLEAR/GREY



### FEATURES AND BENEFITS

- Norms: EN 166:2001.
- Polycarbonate frame & mono lens, wide black frame & vinyl temples.
- Scratch resistant lens.
- Clear & Amber: Anti-fog lens.
- Mirror, Green & Grey: Anti-glare lens.

## SPOGGLES DV-326B-C-AF



### FEATURES AND BENEFITS

- Norms: EN 166:2002-04, EN 170:2003-01, EN 172:2002-02, ISO 16321-1:2021.
- Prescription lens inner attachment.
- Polycarbonate mono lens & soft rubber face seal.
- Efficient indirect ventilation system.
- Detachable black polycarbonate adjustable temple.
- Detachable 12mm adjustable elasticated headband.
- Anti-fog & scratch resistant lens.



# HEARING PROTECTION

Earplugs | Earmuffs

## EARPLUGS DISPOSABLE UNCORDED



### FEATURES AND BENEFITS

- Norms: EN 352-2:2020, IS 9167:1979.
- Provides comfortable and close-fitting seal against harmful noise.
- One size fits all ear canals.
- Suitable for protection against long term exposure to medium noise levels.
- SNR: 37dB.

## EARPLUGS REUSABLE CORDED



### FEATURES AND BENEFITS

- Norms: EN 352-2:2020.
- Soft, skin-friendly thermoplastic elastomer.
- 3-flange mushroom design.
- Lightweight, durable, and non-allergic.
- Washable and reusable.
- Corded design keeps earplugs secure and easily accessible.
- SNR: 31dB.

## EARMUFFS OVER THE HEAD



### FEATURES AND BENEFITS

- Norms: EN 352-1:2020.
- Soft cushioned pads ensure a secure noise-blocking seal.
- Durable ABS ear cups for lasting performance.
- Ultra-lightweight design for maximum comfort.
- Three adjustable positions for a tailored fit.
- SNR: 27dB.



# RESPIRATORY PROTECTION

Disposable Masks | Half Masks | Full Face Respirators

## DISPOSABLE MASK FFP2



### FEATURES AND BENEFITS

- Exhalation valve.
- Wide coverage over the face.
- Allow up to 20% more volume than other masks to relieve the user from any feeling of claustrophobia.
- Minimizes breathing difficulties and speaking discomfort.

## DISPOSABLE MASK FFP2 ACTIVE CARBON



### FEATURES AND BENEFITS

- Exhalation valve.
- Active carbon pre-filter.
- Low breathing resistance for increased wearer comfort.
- Heavy duty, tab mounted, head straps.
- External aluminium adjustable nose clips.
- PP inner with no loose fibres.
- Soft foam nosepiece for comfort & custom fit.

## DISPOSABLE MASK FFP3



### FEATURES AND BENEFITS

- Exhalation valve.
- Wide coverage over the face.
- Allow up to 20% more volume than other masks to relieve the user from any feeling of claustrophobia.
- Minimizes breathing difficulties and speaking discomfort.

## HALF MASK BLS 4000NEXT R B-LOCK



### FEATURES AND BENEFITS

- Norms: EN 140.
- Lightest respirator on the market.
- All components in direct contact with user's face are latex free.
- Material: Thermoplastic rubber.
- Weight: 96 - 102g.

## HALF MASK BLS 4000NEXT S B-LOCK



### FEATURES AND BENEFITS

- Norms: EN 140.
- Lightest respirator on the market.
- All components in direct contact with user's face are latex free.
- Material: Silicone.
- Weight: 109 - 114g.

## FULL FACE MASK BLS 2000 SERIES



### FEATURES AND BENEFITS

- Norms: EN 136, EN 166.
- RD40 connection (EN 148-1).
- 6-point harness.
- Phonic membrane.
- Compact dimension.
- Material: Thermoplastic rubber.

## FULL FACE MASK BLS 5000 B-LOCK



### FEATURES AND BENEFITS

- Norms: EN 136, EN 166 Class I.
- Bayonet connection (b-lock).
- Phonic membrane.
- Designed to avoid fogging.
- Scratch resistant visor.
- Material: Silicone.

## PAPR BLS 2600NEXT



### FEATURES AND BENEFITS

- Norms: EN 12942:2009.
- High filtration for long periods.
- Anti-water cap protects the filter.
- PVC belt with adjustment buckles.
- Automatic flow adjustment.
- Duration of more than 10h.
- Sound/visual/vibrant feedback.

## SCBA INTERSPIRO S9



### FEATURES AND BENEFITS

- Norms: PPE 2016/425, EN137 Type 2, EN 144.
- Open back plate for good ventilation.
- Easy to handle and adjustable cylinder strap.
- Carrying handle integrated in backplate.
- Well-proven and robust pneumatics.
- Mask and breathing valve in a compact design.
- Material: Kevlar webbing, heat resistant polymer.



# HAND PROTECTION

Mechanical | Cut Resistance | Chemical Protection

## GLOVE CLIP



### FEATURES AND BENEFITS

- Ensures that gloves are kept attached to the employee's belt loop and secures the gloves so that they will not be lost during the course of a workday.
- The clip attaches to the trouser belt loop.
- Material: High visibility yellow plastic with a PVC cord.

## MECHANICAL GLOVES BLACKMAX



### FEATURES AND BENEFITS

- Norms: EN 388:2003 (4,1,3,1).
- PU (Polyurethane) dipped palm and fingers.
- High dexterity, comfort and durability.
- Good protection against abrasion.
- Superior dexterity and sensitivity.
- Breathable back for comfort.

## MECHANICAL GLOVES FLEXINITE GRIP



### FEATURES AND BENEFITS

- Norms: EN 388:2003 (4,1,2,1,X).
- Black foam nitrile coated.
- Excellent dexterity due to fine knitting.
- Sandy finish for very good grip properties.
- High degree of flexibility and durability.
- Optimum dexterity.

## PREMIUM GOATSKIN LEATHER GLOVES



### FEATURES AND BENEFITS

- Norms: EN 388:2003 (4,1,3,1).
- Full grain leather gloves.
- For TIG welding or driver glove users.
- Reinforced syntax thread and red cotton bound cuff trim for additional strength.

## CUT RESISTANT GLOVES HS51



### FEATURES AND BENEFITS

- Norms: EN 388:2003 (4,4,4,3,C), EN 407:2020.
- Comfortable design with seamless fit.
- PU-coated palm for enhanced grip and abrasion resistance.
- Excellent cut protection for handling sharp materials.
- Open-back design keeps hands cool.

## WELDING GLOVES WELD/6GR



### FEATURES AND BENEFITS

- Norms: EN 388:2016 (3,1,4,3), EN 407.
- Premium green dyed cow split leather hand.
- Cotton fleece lined.
- Welled with a 6-inch elbow length cuff.
- High abrasion resistance.

## THOR ELECTRICAL INSULATING GLOVES



### FEATURES AND BENEFITS

- Norms: EN 60903:2006(EN 60903:2003 + AC2:2005).
- CLASS 0 > 0 (5kV), Low voltage.
- High flexibility preventing hand fatigue.
- Fits well when worn with protective leather overgloves.
- Each glove is electrically tested & issued with an examination certificate.
- Length: 360mm (±15mm) long.

## CHEMICAL RESISTANT GLOVES NITRILE



### FEATURES AND BENEFITS

- Norms: EN 388:2003 (3,1,0,1), EN 374 - 2:2003.
- Micro flock lined for comfort.
- Textured palm, fingers and partially on the wrist.
- Washable.
- Material: Green nitrile unsupported.
- Thickness: 0.38mm.
- Length: 33cm.

## CHEMICAL RESISTANT GLOVES PVC



### FEATURES AND BENEFITS

- Norms: EN 388:2003 (4,1,2,1).
- Synthetic coating on a cotton interlock liner.
- Excellent resistance to acids and oils fats caustic.
- Abrasion resistance for both wet & dry applications.
- Material: Thermoplastic PVC.
- Thickness: 0.38mm.
- Length: 35cm.

# PROTECTIVE CLOTHING

Shirts | Pants | Coveralls | Chemical Protection

## DISPOSABLE COVERAL PROMAX TYPE 5/6



### FEATURES AND BENEFITS

- Norms: EN 1149-5:2018, EN 14325:2018, EN 14126:2003/AC:2004.
- Type 5 and 6 disposable coverall.
- Zip and storm flap front closing.
- Good mechanical properties and performance.
- Protects the arms, legs, torso and head.
- Anti-static dissipation.

## CONTI SUIT REFLECTIVE



### FEATURES AND BENEFITS

- Concealed DRO aluminium zip on jackets & pants.
- Lightweight and durable.
- Protection against mechanical hazards.
- Collared jacket.
- Re-enforced stress points with bar tacks.
- Material: 80/20 Poly Cotton, 200gsm.

## REFLECTIVE SHIRT AND CARGO PANTS



### FEATURES AND BENEFITS

- Reflective operational shirt.
- Vented back yoke for comfort in heat.
- 50mm Silver reflective tape.
- Mitred pockets have double needle topstitching.
- Button closure.
- Material: 100% Cotton, 135gsm.

## ANTISTATIC SHIRT AND CARDO PANTS



### FEATURES AND BENEFITS

- EN 1149-3:2004 and EN 1149-5:2018.
- Radio / gas detector loops on both shoulders
- Silver flame retardant reflective tape.
- Seams are double stitched for added durability.
- Material: 50% Modacrylic, 36% Cotton, 8%, Polyacrylate, 5% Nylon, 1% Anti-Static.
- Mass: 180/210gsm.

## ACE ONE LEATHER APRON



### FEATURES AND BENEFITS

- Full or half length aprons with buckle closure, adjustable neck & waist strap.
- Heavy-duty premium cow split leather.
- Protects the worker's entire front of body.

## RUBBERISED RAINCOAT



### FEATURES AND BENEFITS

- Knee-length raincoat.
- Ventilated back with mesh lining & aeration holes.
- Fixed hood with drawstring.
- Two pockets with storm flap.
- Heavy-duty full non-metal zip front with flap.
- Large plastic press studs.
- Internal storm cuff.

## SA10 REFLECTIVE VEST



### FEATURES AND BENEFITS

- High visibility jacket.
- Clear on black top entry ID pocket.
- Reflective 50mm retro tape.
- Nylon zip with metal slider.

## VIKING YOUSAFE™ INFERNO



### FEATURES AND BENEFITS

- Norms: SOLAS/MED, EN469:2020, MSMER.
- Good quality two-piece fire suit.
- Insulated for extra protection against radiant heat.
- Approved for structural firefighting.
- Reflective trim.
- Radio and box pockets.
- Adjustable braces in the pants.

## INFLATABLE LIFEJACKET LAMBDA



### FEATURES AND BENEFITS

- Norms: SOLAS / MED-MER.
- Exceptional wearer comfort.
- Two automatic inflators with round puller.
- Plastic zipper on the lifejacket cover.
- Plastic buckle for easier and quicker fastening.
- Pre-shaped shoulder area.
- Soft neoprene material.



# FALL PROTECTION

Full Body Harnesses | Lanyards | Blocks

## ECONOMY FULL BODY HARNESS 1PT

**ADELA**



### FEATURES AND BENEFITS

- Norms: EN 361.
- Economical solution for working at height.
- 45mm width polyester webbing.
- 1 x dorsal D-Ring.
- Front chest adjustable belt.
- Detachable waist belt.
- Both tighs pass through buckles.

## ECONOMY DUAL LEG LANYARD

**ADELA**



### FEATURES AND BENEFITS

- Norms: EN 354, EN 355.
- Double 3 strands rope, dia. 14mm.
- Length 1.5m
- Screw lock carabiner AF-09.
- Hook H-3101.
- 45mm energy absorber.

## DUAL LEG LANYARD PN 361

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 355:2002.
- 30mm wide polyester webbing.
- Available in length 1.75m.
- Steel snap hook at one end and two steel scaffold hook at other ends.

## FULL BODY HARNESS 2PT PN 24

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 361:2002.
- Premium range 2-point harness (front and back).
- Horizontal thigh straps.
- Shoulder & leg pads for extended comfort.
- Sit strap for extended comfort.
- Quick and easy shoulder strap adjustment.
- Parachute buckles.

## FULL BODY HARNESS 3PT PN 41

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 361:2002, EN 358:1999.
- 1 dorsal D-Ring.
- 2 lateral D-Rings on the sides for work positioning.
- Sit strap for extended comfort.
- Fully padded work positioning belt.
- Equipped with lanyard keepers.
- Parachute buckles.

## FULL BODY HARNESS 4PT MAGNA-2

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 361:2002, EN 358:2018.
- 1 dorsal D-Ring & front textile loops.
- 2 lateral D-Rings at waist for positioning.
- Work positioning belt incorporated with sit strap.
- Automatic buckles for easy adjustment.
- Comforting shoulder & leg pads.
- Rescue loops provided on shoulders.

## FULL BODY TOWER HARNESS 5PT PN 56

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 361:2002, EN 358:2018.
- 1 dorsal and sternal D-Ring.
- 2 lateral D-Rings at waist for positioning.
- 1 ventral D-Ring in front for rope access.
- Work positioning belt incorporated with sit strap.
- Adjustable leg and chest straps.
- Comforting shoulder & leg pads.

## FULL BODY HARNESS NOSPARK (ATEX)

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 361, ATEX 2014/34/EU, EN 1149.
- ATEX-certified static control equipment.
- 1 dorsal attachment D-Ring.
- 2 front textile loops.
- Adjustable chest, shoulder and thigh straps.
- Sit strap for extended comfort.

## DUAL LEG LANYARD NOSPARK (ATEX)

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 355, ATEX 2014/34/EU, EN 1149.
- ATEX-certified static control equipment.
- Aluminum quarter turn locking karabiner.
- Energy absorber and aluminum scaffold hooks.
- Length: 1.5m.
- Breaking strength: 25kN.

# FALL PROTECTION

Full Body Harnesses | Lanyards | Blocks

## SELF RETRACTING LIFELINE (SRL) 6M

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 360:2002, ATEX 2014/34/EU.
- High impact polymer casing.
- Galvanized steel wire rope (S.S. in option).
- Steel swivel snap hook.
- Galvanized steel screw gate Karabiner.
- Length: 6m.
- Breaking strength: 15kN.

## SELF RETRACTING LIFELINE (SRL) 10M

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 360:2002.
- Robust & durable plastic casing.
- Has swivel anchorage eye at anchorage end.
- Swivel steel snap hook with load indicator.
- Galvanized steel wire rope (S.S. in option).

## MICRON BLOCK 2M

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 360:2002, EN 355:2002.
- Swivel anchorage eye.
- High strength polymer casing.
- Automatic quick fall arrester.
- 2m retractable webbing.
- Inbuilt textile energy absorber with protective cover.

## WORK POSITIONING LANYARD PN 245

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 358:2018.
- Kernmantle rope.
- Diameter: 11mm.
- Equipped with convenient rope grab adjuster.
- Steel karabiner at both the ends for attachment.
- Max Length: 2m.
- Min. Breaking Strength: 15kN.

## KERNMANTLE ROPE ANCHORAGE LINE

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 1891.
- Made of Polyester Kernmantle Rope of dia 11mm.
- One side loop; other side end stop knot.
- Has colored tracer yarn.
- Length: 20m, 30m, 50m, 100m, 200m.

## ALUMINIUM ROPE GRAB RG 07

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 358:1999 & EN 353-2:2002 & EN12841:2006.
- Material: Aluminum alloy.
- Minimum Breaking Strength: 15KN.
- Finish: Natural silver/coloured, anodized.
- 11mm & 12mm diameter kernmantle rope.

## BEAM ANCHOR

**KARAM**



### FEATURES AND BENEFITS

- Norms: EN 795:2012 Type B.
- Temporary transportable anchor device.
- Materials: Aluminum Alloy & Brass.
- Breaking strength: Greater than 23kN.
- Flange Width: 90mm to 340mm.





# LIFELINE SYSTEMS

Vertical | Horizontal | Temporary

## VERTICAL LIFELINE SYSTEM PN 6000

**KARAM**



### FEATURES AND BENEFITS

- Wire rope with D shackle.
- Mounting brackets and intermediates.
- Rope grab.
- Tensioner.
- Material: Stainless Steel 316.
- Diameter: 8mm.

## VERTICAL LIFELINE SYSTEM PN 7000

**KARAM**



### FEATURES AND BENEFITS

- Shock absorber.
- Wire rope with D shackle.
- Mounting brackets and intermediates.
- Rope grab.
- Tensioner.
- Material: Stainless Steel 316.
- Diameter: 8mm.

## HORIZONTAL LIFELINE PN 4000

**KARAM**



### FEATURES AND BENEFITS

- Shock absorber.
- Carriage body.
- Roof top anchor post.
- Swaged tensioner.
- Material: Stainless Steel 316.
- Diameter: 8mm.

## TEMPORARY HORIZONTAL LIFELINE

**KARAM**




### FEATURES AND BENEFITS

- Norms: EN 795:2012 Type C.
- Quick and easy to install, also reusable.
- 4 steel O-rings to enable the user to easily attach the lanyard.
- tension indicator.
- Swivel connector.
- Minimum breaking strength: 25kN.



Walk the **ROOF**  
with complete  
assurance of **SAFETY**



# CONFINED SPACE ENTRY

Davit Arms | Tripods

## TRIPOD WITH DOUBLE PULLEY PN 800



### FEATURES AND BENEFITS

- Norms: EN 795:2012 Type B, ATEX 2014/34/EU.
- Two auxiliary eye bolts as attachment points.
- Strength of anchorage point is greater than 23kN.
- Pre-installed universal mounting attachments.
- Material of cast head and legs: Aluminium Alloy.
- Comes with a sturdy bag to pack.

## DAVIT ARM DA 01



### FEATURES AND BENEFITS

- Norms: EN 795:2012 Type B, ATEX 2014/34/EU.
- For access in confined spaces with a large opening.
- Composed of davit column, davit arm and H-base.
- Equipped with height adjustable feet and spirit levels for correct levelling.
- Material: High strength and durable aluminium alloy.
- Opening: 1100mm - 1510mm.

## FLUSH MOUNT DAVIT DA 06



### FEATURES AND BENEFITS

- Norms: EN 795:2012 Type B, ATEX 2014/34/EU.
- Can be used in ATEX atmosphere (zone 1).
- Multiple anchorage points.
- 2 pre-installed lower mounting bracket assemblies.
- Material: High strength and durable aluminium alloy.
- Maximum load capacity: 500kg.
- System strength: 21kN.

## HEXAPOD SA 43



### FEATURES AND BENEFITS


- Equipped with a pulley placed on the tripod head for inserting the winch cable.
- Equipped with 3 anchorage rings on the tripod head.
- Moulded tripod head in aluminium alloy.
- Feet equipped with articulated steel soles with rubber pads to increase friction and stability.
- System strength: 23kN.

## WINCH PN 801



### FEATURES AND BENEFITS

- Norms: EN 1496:2017 Class B ATEX 2014/34/EU.
- Material or man lifting rescue winch.
- Mounting plate having four bolts for mounting tripod leg or other support as required.
- Galvanized steel cable of Ø4.5mm and length 20m.
- Equipped with steel screw locking karabiner as connector.
- Handle rotating mechanism for lifting and lowering.





# MISCELLANEOUS

Safety Footwear | LOTO | Industrial Lighting | AEDs

## TALAN 112 S3



### FEATURES AND BENEFITS

- Upper of strong protection leather.
- Breathable synthetic material.
- Good comfort.
- Removable antistatic insole.
- Nickel-free steel for insole and toecap.
- Antistatic oil-resistant slip-proof sole.
- Black and orange finish.

## ARMOUR GUMBOOTS



### FEATURES AND BENEFITS

- Norms: ISO 20347:2022.
- Slip resistant outsole, SRC.
- Reinforced shin & ankle protection.
- Energy absorbing heel.
- Anti-static.
- Oil resistant & cleated outsole.
- Material: PVC/Nitrile.

## FIREFIGHTER BOOTS



### FEATURES AND BENEFITS

- Norms: EN 15090, EN ISO 20345, EN 50321, SOLAS/MED.
- Flame retardant upper with heat insulation.
- Waterproof.
- Reinforced rubber.
- High visibility with black and yellow contrast.

## FIRE BLANKET



### FEATURES AND BENEFITS

- EN 1869:1997.
- White 100% glass fibre fire blanket.
- Heat resistant.
- Size: 2m x 2m.
- Red polyester with Velcro seal storage bag.
- Thickness: 0.40 mm.
- Temperature: 550 degree Celsius.

## LOCKOUT/TAGOUT LOCKS AND SOLUTIONS



### FEATURES AND BENEFITS

- As the world's largest padlock manufacturer, Master Lock offers a wide range of security solutions, including padlocks, lockout hasps & cables, electrical lockout devices, mechanical lockout devices, lockout tagout kits, lockout stations, boxes and cabinets, lockout tagout identification labels, etc.

## PIXA® 2 HEADLAMP



### FEATURES AND BENEFITS

- Certification: ATEX zone 2/22.
- Brightness: 90lm.
- Weight: 145g.
- For proximity, movement and long-range vision.
- Rechargeable headlamp.
- Batteries: Lithium-Ion Polymer battery.
- Recharge time: 3h.
- Warranty: 3 years.

## SIROCCO 300 PROPACK LIGHTING BALLOON



### FEATURES AND BENEFITS

- A battery powered LED lighting balloon, suitable for mobile operations.
- Lighted area: 1,017m<sup>2</sup>.
- Maximum lumen: 22,000lm.
- Maximum power: 160W.
- Light efficiency: 345lx.
- Balloon weight: 2.3 kg.

## AUTOMATED DEFIBRILLATOR AED PLUS



### FEATURES AND BENEFITS

- Real CPR Help® technology.
- Real-time CPR feedback on compression rate and depth.
- Automatic self-testing.
- Off-the-shelf lithium batteries with a 5-year battery life.
- Rugged design with an IP rating of IP55.
- Warranty: 5 years.



# OUR SERVICES



EHS Consulting Services



Technical Training



Gas Detector Maintenance and Calibration



Breathalyzer Maintenance and Calibration



CALiTrak™  
EHS Equipment Maintenance System





## Tanzania

P.O. Box 105246  
Auditax House, 1st Floor  
Cocacola Rd, Plot No. 47, Mikocheni  
Dar Es Salaam, Tanzania

[info@nardalsafety.co.tz](mailto:info@nardalsafety.co.tz)

+255 766 904 668



## Mauritius

4, Bissoondoyal Street, Port Louis,  
Mauritius

[info@prosafe.mu](mailto:info@prosafe.mu)

+230 260 2400



## Mozambique

Avenida Das Industrias, no. 2455 Loja  
n° 4, Machava-Matola

[info@prosafe.co.mz](mailto:info@prosafe.co.mz)

+258 85 222 2026



## Madagascar

Module 2, Karim Abad II Antanandava  
- Betainomby, Toamasina, Madagascar

[prosafe@orange.mg](mailto:prosafe@orange.mg)

+261 32 05 012 00

